


NABERAN

CORDES
ROPES
CUERDAS

CORDES TORDUES
TWISTED ROPES
CUERDAS CABLEADAS

CORDES TORDUES · TWISTED ROPES · CUERDAS CABLEADAS



POLYSTEEL

Ø mm	CIRC. POUCE CIRC. INCH CIRC. PULGADAS	METRAGE RUNNAGE METRAJE Kg/100m	CHARGE RUPTURE BREAKING STRENGTH CARGA ROTURA kfg
6	3/4"	1.65	1.770
8	1"	3.00	1.360
10	1 1/4"	4.40	2.035
12	1 1/2"	6.40	2.900
14	1 3/4"	8.50	3.905
16	2"	11.50	4.910
18	2 1/4"	15.00	6.305
20	2 1/2"	18.00	7.600
22	2 3/4"	21.50	8.905
24	3"	26.00	10.490
26	3 1/4"	30.00	12.320
28	3 1/2"	36.00	13.910
30	3 3/4"	40.00	16.070
32	4"	46.00	17.540
36	4 1/2"	59.00	22.080
40	5"	72.00	26.860
44	5 1/2"	88.00	31.780
48	6"	104.00	37.180
52	6 1/2"	122.00	43.195
56	7"	142.00	49.380
60	7 1/2"	162.00	56.680

POLYETHYLENE · POLYETHYLÈNE · POLIETILENO

Ø mm	CIRC. POUCE CIRC. INCH CIRC. PULGADAS	METRAGE RUNNAGE METRAJE Kg/100m	CHARGE RUPTURE BREAKING STRENGTH CARGA ROTURA kfg
4	1/2"	0.81	200
5	5/8"	1.30	290
6	3/4"	1.80	400
8	1"	3.25	700
10	1 1/4"	5.00	1.090
12	1 1/2"	7.00	1.540
14	1 3/4"	9.50	2.090
16	2"	13.00	2.800
18	2 1/4"	16.00	3.470
20	2 1/2"	20.00	4.280
22	2 3/4"	24.00	5.080
24	3"	29.50	6.100
26	3 1/4"	33.00	6.940
28	3 1/2"	39.00	8.200
30	3 3/4"	46.00	9.490
32	4"	52.50	10.700
36	4 1/2"	66.00	13.460
40	5"	78.50	16.320
44	5 1/2"	95.00	19.630
48	6"	115.00	22.850
52	6 1/2"	135.00	26.420
56	7"	157.00	30.400
60	7 1/2"	180.00	34.480


NABERAN SAREAK S.L.

Mutrikuko Industrialdea 15
20830 Mutriku - Gipuzkoa
+34 943 195 122 | naberan@naberan.com

NABERAN FRANCE SARL

Avenue de la République
ZA Poriguenor | 29730 Le Guilvinec (France)
+33 298 582 739 | david@naberan.com

CORDES TORDUES · TWISTED ROPES · CUERDAS CABLEADAS



POLIESTER

Ø mm	CIRC. POUCE CIRC. INCH CIRC. PULGADAS	METRAGE RUNNAGE METRAJE		CHARGE RUPTURE BREAKING STRENGTH CARGA ROTURA	
		Kg/100m	lb/100ft	kfg	lb
4	1/2"	1.18	0.7	0.79	650
5	5/8"	1.85	1.1	1.24	1.020
6	3/4"	2.70	1.5	1.81	1.245
8	1"	4.80	2.7	3.22	2.245
10	1 1/4"	7.60	4.2	5.10	3.500
12	1 1/2"	11.00	6.0	7.39	5.010
14	1 3/4"	14.80	8.2	9.93	7.005
16	2"	19.50	10.6	13.08	8.945
18	2 1/4"	24.50	13.4	16.46	1.1190
20	2 1/2"	30.50	16.4	20.34	14.000
22	2 3/4"	36.70	20.1	24.70	16.585
24	3"	43.70	23.8	29.30	20.130
26	3 1/4"	51.20	28.2	34.40	23.590
28	3 1/2"	59.40	32.6	40.00	26.960
30	3 3/4"	68.20	37.3	45.80	30.110
32	4"	77.80	42.3	52.30	34.605
36	4 1/2"	98.20	53.7	65.80	42.690
40	5"	121.50	30.000	81.60	52.800
44	5 1/2"	146.80	81.0	98.60	62.690
48	6"	175.00	95.0	117.60	73.920
52	6 1/2"	205.00	112.0	137.60	86.280
56	7"	238.00	130.0	159.90	98.635
60	7 1/2"	273.00	148.0	183.40	109.870
64	8"	311.00	169.0	208.80	127.610
72	9"	393.00	214.0	263.90	158.845
80	10"	485.00	264.0	325.60	194.790

NYLON

Ø mm	CIRC. POUCE CIRC. INCH CIRC. PULGADAS	METRAGE RUNNAGE METRAJE		CHARGE RUPTURE BREAKING STRENGTH CARGA ROTURA	
		Kg/100m	lb/100ft	kfg	lb
4	1/2"	1.05	0.7	320	700
5	5/8"	1.65	1.1	500	1.100
6	3/4"	2.25	1.5	750	1.650
8	1"	4.00	2.7	1.350	2.970
10	1 1/4"	6.20	4.2	2.080	4.580
12	1 1/2"	8.90	6.0	3.000	6.600
14	1 3/4"	12.20	8.2	4.100	9.030
16	2"	15.80	10.6	5.300	11.675
18	2 1/4"	20.00	13.4	6.700	14.760
20	2 1/2"	24.50	16.4	8.300	18.280
22	2 3/4"	30.00	20.1	10.000	22.030
24	3"	35.50	23.8	12.000	26.430
26	3 1/4"	42.00	28.2	14.000	30.840
28	3 1/2"	48.50	32.6	15.800	34.800
30	3 3/4"	55.50	37.3	17.800	39.210
32	4"	63.00	42.3	20.000	44.050
36	4 1/2"	80.00	53.7	24.800	54.625
40	5"	99.00	66.5	30.000	66.080
44	5 1/2"	120.00	81.0	35.800	78.850
48	6"	142.00	95.0	42.200	92.510
52	6 1/2"	166.00	112.0	48.800	107.490
56	7"	193.00	130.0	56.000	123.350
60	7 1/2"	221.00	148.0	63.800	140.500
64	8"	252.00	169.0	72.000	158.600
72	9"	319.00	214.0	90.000	198.200
80	10"	394.00	264.0	110.000	242.300


NABERAN SAREAK S.L.

Mutrikuko Industrialdea 15
20830 Mutriku - Gipuzkoa
+34 943 195 122 | naberan@naberan.com

NABERAN FRANCE SARL

Avenue de la République
ZA Poriguenor | 29730 Le Guilvinec (France)
+33 298 582 739 | david@naberan.com

CORDES TORDUES · TWISTED ROPES · CUERDAS CABLEADAS



POLYPROPYLÉNE MULTIFILAMENT · POLYPROPYLENE MULTIFILAMENT · POLIPROPILENO MULTIFINAMENTO

Ø mm	CIRC. POUCE CIRC. INCH CIRC. PULGADAS	METRAGE RUNNAGE METRAJE		CHARGE RUPTURE BREAKING STRENGTH CARGA ROTURA	
		Kg/100m	lb/100ft	kfg	lb
4	1/2"	0.75	0.50	235	518
5	5/8"	1.10	0.74	360	793
6	3/4"	1.70	1.20	600	1.320
8	1"	3.00	2.00	1.060	2.335
10	1 1/4"	4.50	3.00	1.560	3.430
12	1 1/2"	6.50	4.40	2.220	4.880
14	1 3/4"	9.00	6.10	3.050	6.720
16	2"	11.50	7.70	3.780	8.320
18	2 1/4"	14.80	10.00	4.820	10.610
20	2 1/2"	18.00	12.10	5.800	12.785
22	2 3/4"	22.00	14.80	6.950	15.320
24	3"	26.00	17.50	8.130	17.910
26	3 1/4"	30.50	20.50	9.400	20.715
28	3 1/2"	35.50	23.80	10.700	23.570
30	3 3/4"	40.50	27.20	12.200	26.900
32	4"	46.00	30.90	13.500	29.730
36	4 1/2"	58.50	39.30	16.900	37.270
40	5"	72.00	48.30	20.500	45.150
44	5 1/2"	88.00	59.10	24.640	54.260
48	6"	104.00	69.80	28.600	63.000
52	6 1/2"	122.00	82.00	33.100	72.910
56	7"	142.00	95.30	37.840	83.350
60	7 1/2"	163.00	109.50	43.300	95.310

NABERAN SAREAK S.L.

Mutrikuko Industrialdea 15
20830 Mutriku - Gipuzkoa
+34 943 195 122 | naberan@naberan.com

NABERAN FRANCE SARL

Avenue de la République
ZA Poriguenor | 29730 Le Guilvinec (France)
+33 298 582 739 | david@naberan.com