





CABLE D'ACEIR · **STEEL WIRE ROPE** ·
CABLE DE ACERO

CABLE D'ACIER GALVANISÉE · STEEL WIRE ROPE GALVANIZED · CABLE DE ACERO GALVANIZADO



6xS19+IWRC




6xWS26+IWRC


TENACITÉ
TENACIDAD
TENSILE STRENGTH



1570 N/MM2



6xS19+FC



6xWS26+FC


SEALE 6XS19 ET WSEALE 6XWS26 AMÉ METALIC
SEALE 6XS19 Y WSEALE 6XWS26 ALMA METÁLICA

SEALE 6XS19 ET WSEALE 6XWS26 AMÉ TEXTIL
SEALE 6XS19 Y WSEALE 6XWS26 ALMA TEXTIL


CODIGO CÓDIGO CODE	DIAMETRE DIAMETRO DIAMETER	POID PESO WEIGHT Kg/mts	MIN CHARGE RUP ROTURA MIN MIN BR LOAD kgf
5SE61916GM	16	0,98	15000
5SE61918GM	18	1,23	19000
5SE61920GM	20	1,6	24500
5SE61922GM	22	1,9	29500
5SE61924GM	24	2,2	34200
5SE61926GM	26	2,7	41500
5SE61928GM	28	3,1	47500

CODIGO CÓDIGO CODE	DIAMETRE DIAMETRO DIAMETER	POID PESO WEIGHT Kg/mts	MIN CHARGE RUP ROTURA MIN MIN BR LOAD kgf
5SS61910GF	10	0,36	5500
5SS61912GF	12	0,53	7800
5SS61914GF	14	0,7	10400
5SS61916GF	16	0,9	13500
5SS61918GF	18	1,12	17000
5SS6XX20GF	20	1,45	22000
5SS6XX22GF	22	1,75	26500
5SS6XX24GF	24	2	31000
5SS6XX26GF	26	2,4	37100
5SS6XX28GF	28	2,89	43000

CABLE DE FUNE SUPER SEALE · TRAWL WIRE ROPE SUPER SEALE · CABLE DE PESCA SUPER SEALE




6xS19+IWRC




6xWS26+IWRC


TENACITÉ
TENACIDAD
TENSILE STRENGTH



1570(out)/
1770(in) N/MM2
DUAL



6xS19+FC



6xWS26+FC

SEALE 6XS19 ET WSEALE 6XWS26 AMÉ METALIC
SEALE 6XS19 Y WSEALE 6XWS26 ALMA METÁLICA

SEALE 6XS19 ET WSEALE 6XWS26 AMÉ TEXTIL
SEALE 6XS19 Y WSEALE 6XWS26 ALMA TEXTIL

CODIGO CÓDIGO CODE	DIAMETRE DIAMETRO DIAMETER	POID PESO WEIGHT Kg/mts	MIN CHARGE RUP ROTURA MIN MIN BR LOAD kgf
5SS61916GM	16	0,98	15000
5SS61918GM	18	1,23	19000
5SS61920GM	20	1,6	24500
5SS61922GM	22	1,9	29500
5SS61924GM	24	2,2	34200
5SS61926GM	26	2,7	41500
5SS61928GM	28	3,1	47500

CODIGO CÓDIGO CODE	DIAMETRE DIAMETRO DIAMETER	POID PESO WEIGHT Kg/mts	MIN CHARGE RUP ROTURA MIN MIN BR LOAD kgf
5SE61910GF	10	0,36	5500
5SE61912GF	12	0,53	7800
5SE61914GF	14	0,7	10400
5SE61916GF	16	0,9	13500
5SE61918GF	18	1,12	17000
5SE6XX20GF	20	1,45	22000
5SE6XX22GF	22	1,75	26500
5SE6XX24GF	24	2	31000
5SE6XX26GF	26	2,4	37100
5SE6XX28GF	28	2,89	43000


NABERAN SAREAK S.L.

Mutrikuko Industrialdea 15
20830 Mutriku - Gipuzkoa
+34 943 195 122 | naberan@naberan.com


NABERAN FRANCE SARL

Avenue de la République
ZA Poriguenor | 29730 Le Guilvinec (France)
+33 298 582 739 | david@naberan.com

CABLE DE FUNE COMPACT SEALE · TRAWL WIRE ROPE COMPACT SEALE · CABLE DE PESCA COMPACT SEALE




Compact 6xS19+IWRC




Compact 6xS25+IWRC

TENACITÉ
TENACIDAD
TENSILE STRENGTH

1570(out)/
1770(in) N/MM2
DUAL



Compact 6xS19+FC



Compact 6xS25+FC


COMPACT SEALE 6XS19 ET 6XS25 AMÉ METALIC
COMPACT SEALE 6XS19 Y 6XS25 ALMA METALICA

COMPACT SEALE 6XS19 ET 6XS25 AMÉ TEXTIL
COMPACT SEALE 6XS19 Y 6XS25 ALMA TEXTIL


CODIGO CÓDIGO CODE	DIAMETRE DIAMETRO DIAMETER	POID PESO WEIGHT Kg/mts	MIN CHARGE RUP ROTURA MIN MIN BR LOAD kgf
5SC61916GM	16	1,2	20800
5SC61918GM	18	1,51	26000
5SC62520GM	20	1,75	30500
5SC62522GM	22	2,15	36600
5SC62524GM	24	2,5	42200
5SC62526GM	26	2,85	47800
5SC62528GM	28	3,43	58200

CODIGO CÓDIGO CODE	DIAMETRE DIAMETRO DIAMETER	POID PESO WEIGHT Kg/mts	MIN CHARGE RUP ROTURA MIN MIN BR LOAD kgf
5SC61912GF	12	0,59	11000
5SC61914GF	14	0,85	15200
5SC61916GF	16	1,13	17800
5SC61918GF	18	1,4	22100
5SC62520GF	20	1,65	26000
5SC62522GF	22	1,94	30500
5SC62524GF	24	2,26	35500
5SC62526GF	26	2,55	40800
5SC62528GF	28	3,03	49300

CABLE INOX · STAINLESS STEEL WIRE ROPE · CABLE INOXIDABLE




6x19+IWRC




6x7+IWRC

TENACITÉ
TENACIDAD
TENSILE STRENGTH

1570 N/MM2
Inox
304 ou 316



6x19+FC



6x7+FC

CABLE NORMAL 6X19 ET 6X7 AMÉ METALIC
CABLE NORMAL 6X19 ET 6X7 ALMA METALICA

CABLE NORMAL 6X19 ET 6X7 AMÉ TEXTIL
CABLE NORMAL 6X19 ET 6X7 ALMA TEXTIL

CODIGO CÓDIGO CODE	DIAMETRE DIAMETRO DIAMETER	POID PESO WEIGHT Kg/mts	MIN CHARGE RUP ROTURA MIN MIN BR LOAD kgf
5IN60706AM	6	0,14	1850
5IN60708AM	8	0,25	3300
5IN61910AM	10	0,45	5100
5IN61912AM	12	0,65	7500
5IN61914AM	14	0,75	10000
5IN61916AM	16	0,98	13100
5IN61918AM	18	1,23	16500

CODIGO CÓDIGO CODE	DIAMETRE DIAMETRO DIAMETER	POID PESO WEIGHT Kg/mts	MIN CHARGE RUP ROTURA MIN MIN BR LOAD kgf
5IN60706AF	6	0,12	1700
5IN60708AF	8	0,22	3100
5IN61910AF	10	0,35	4700
5IN61912AF	12	0,5	6900
5IN61914AF	14	0,68	9400
5IN61916AF	16	0,88	12100
5IN61918AF	18	1,12	15500

NABERAN SAREAK S.L.

Mutrikuko Industrialdea 15
20830 Mutriku - Gipuzkoa
+34 943 195 122 | naberan@naberan.com

NABERAN FRANCE SARL

Avenue de la République
ZA Poriguenor | 29730 Le Guilvinec (France)
+33 298 582 739 | david@naberan.com